

Certificate of Analysis for NR-52218

Acinetobacter baumannii, Strain MRSN 30945

Catalog No. NR-52218

This reagent is the tangible property of the U.S. Government.

Product Description:

Acinetobacter baumannii (A. baumannii), strain MRSN 30945 was isolated in 2003 from a human in Europe as part of a global surveillance program. A. baumannii, strain MRSN 30945 was deposited as sensitive to amikacin, ampicillin/sulbactam, cefepime, ceftazidime, ceftriaxone, ciprofloxacin, colistin, gentamicin, imipenem, levofloxacin, meropenem, tobramycin, trimethoprim/sulfamethoxazole and tetracycline. NR-52218 lot 70042831 was produced by inoculation of the deposited material into Tryptic Soy broth and grown for 1 day at 37°C in an aerobic atmosphere. Broth inoculum was added to Tryptic Soy agar kolles, which were grown for 1 day at 37°C in an aerobic atmosphere to produce this lot. Quality control testing was completed under propagation conditions unless otherwise noted.

Lot: 70042831 Manufacturing Date: 17MAR2021

BEI Resources is committed to ensuring digital accessibility for people with disabilities. This Certificate of Analysis contains complex tables and may not be fully accessible. Please let us know if you encounter accessibility barriers and a fully accessible document will be provided: E-mail: Contact@BEIResources.org. We try to respond to feedback within 24 hours.

TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis		
Cellular morphology	Gram-negative rods	Gram-negative rods
Colony morphology	Report results	Circular, convex, entire, smooth and cream (Figure 1)
Growth at 44°C ± 2°C ¹	Growth	Growth
1 day in an aerobic atmosphere on Tryptic Soy agar		
Motility	Report results	Non-motile
BBL [™] Motility Test Medium w/TTC Indicator for 1 day at 37°C in an aerobic atmosphere		
VITEK® MS (MALDI-TOF)	A. baumannii	A. baumannii (99.9%)
Antibiotic Susceptibility Profile ^{2,3}		
Amikacin	Sensitive	Sensitive (4 μg/mL)
Ampicillin/sulbactam	Sensitive	Sensitive (1.5 μg/mL)
Cefepime	Sensitive	Sensitive (2 to 3 µg/mL)
Ceftriaxone	Sensitive	Sensitive (8 μg/mL)
Ceftazidime	Sensitive	Sensitive (4 μg/mL)
Ciprofloxacin	Sensitive	Sensitive (≤ 0.25 μg/mL)
Colistin	Sensitive	Sensitive (≤ 0.25 µg/mL)
Gentamicin	Sensitive	Sensitive (≤ 1 µg/mL)
Imipenem	Sensitive	Sensitive (≤ 1 μg/mL)
Levofloxacin	Sensitive	Sensitive (≤ 1 μg/mL)
Meropenem	Sensitive	Sensitive (≤ 1 μg/mL)
Trimethoprim/sulfamethoxazole	Sensitive	Sensitive (≤ 0.5 μg/mL)
Tobramycin	Sensitive	Sensitive (≤ 1 μg/mL)
Tetracycline	Sensitive	Sensitive (4 µg/mL)
Genotypic Analysis		
Sequencing of 16S ribosomal RNA gene (~ 1470 base pairs)	≥ 99% sequence identity to A. baumannii, strain MRSN 30945 (GenBank: VHFW01000056.1)	100% sequence identity to A. baumannii, strain MRSN 30945 (GenBank: VHFW01000056.1)
Purity	Growth consistent with expected	Growth consistent with expected
7 days at 37°C in an aerobic atmosphere with and without 5% CO ₂ on Tryptic Soy agar	colony morphology	colony morphology

BEI Resources www.beiresources.org E-mail: contact@beiresources.org

Tel: 800-359-7370 Fax: 703-365-2898



Certificate of Analysis for NR-52218

TEST	SPECIFICATIONS	RESULTS
Viability	Growth	Growth

¹Growth at 44°C differentiates A. baumannii from A. calcoaceticus and A. pittii, which do not grow at 44°C.

Figure 1: Colony Morphology



/Heather Couch/ Heather Couch

05 FEB 2022

Program Manager or designee, ATCC Federal Solutions

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

BEI Resources www.beiresources.org E-mail: contact@beiresources.org
Tel: 800-359-7370

Fax: 703-365-2898

²Minimum Inhibitory Concentration (MIC); MIC Interpretation Guideline: CLSI M100-S28 (2018)

³Antibiotic susceptibility was tested using a combination of VITEK®2 GN82, Sensititre GNX2F AST and E-test strips.