

## ***Streptococcus pneumoniae*, Strain NP112**

### **Catalog No. NR-19213**

This reagent is the tangible property of the U.S. Government.

**For research use only. Not for use in humans.**

#### **Contributor:**

Scott T. Chancey, Ph.D., Senior Research Associate, Division of Infectious Diseases, Department of Medicine, Emory University, Atlanta, Georgia, USA

#### **Manufacturer:**

BEI Resources

#### **Product Description:**

Bacteria Classification: *Streptococcaceae*, *Streptococcus*

Species: *Streptococcus pneumoniae*

Strain: NP112 (also referred to as SPAR141)

Serotype: 06B<sup>1</sup>

Original Source: *Streptococcus pneumoniae* (*S. pneumoniae*), strain NP112 was isolated in 1995 from the nasopharynx of a healthy human in Georgia, USA.<sup>1</sup>

Comments: Serotyping of *S. pneumoniae*, strain NP112 was determined by the Quellung reaction and confirmed by genomic analysis.<sup>1</sup> The complete genome of *S. pneumoniae*, strain NP112 has been sequenced (GenBank: [AGQF00000000](https://www.ncbi.nlm.nih.gov/nuccore/AGQF00000000)).

*S. pneumoniae* is a Gram-positive, α-hemolytic, diplococcal, aerotolerant anaerobe that is a major cause of pneumonia, bacterial meningitis and otitis media. *S. pneumoniae* has a polysaccharide capsule that acts as a virulence factor for the organism. There are over ninety different capsular types of *S. pneumoniae* which differ in virulence, prevalence and extent of drug resistance.<sup>2,3,4</sup>

#### **Material Provided:**

Each vial contains approximately 0.5 mL of bacterial culture in Todd-Hewitt broth supplemented with 10% glycerol.

Note: If homogeneity is required for your intended use, please purify prior to initiating work.

#### **Packaging/Storage:**

NR-19213 was packaged aseptically in cryovials. The product is provided frozen and should be stored at -60°C or colder immediately upon arrival. For long-term storage, the vapor phase of a liquid nitrogen freezer is recommended. Freeze-thaw cycles should be avoided.

#### **Growth Conditions:**

##### Media:

Tryptic Soy broth or Todd-Hewitt broth or equivalent  
Tryptic Soy agar or Todd-Hewitt agar or Tryptic Soy agar with 5% sheep blood or equivalent

##### Incubation:

Temperature: 37°C

Atmosphere: Aerobic with 5% CO<sub>2</sub>

##### Propagation:

1. Keep vial frozen until ready for use, then thaw.
2. Transfer the entire thawed aliquot into a single tube of broth.
3. Use several drops of the suspension to inoculate an agar slant and/or plate.
4. Incubate the tube, slant and/or plate at 37°C for 1 day.

Note: *Streptococcus* species are generally fast growers. To avoid overgrowth of the culture, incubation without shaking is recommended for growth in broth.

##### **Citation:**

Acknowledgment for publications should read "The following reagent was obtained through BEI Resources, NIAID, NIH: *Streptococcus pneumoniae*, Strain NP112, NR-19213."

##### **Biosafety Level: 2**

Appropriate safety procedures should always be used with this material. Laboratory safety is discussed in the following publication: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, and National Institutes of Health. Biosafety in Microbiological and Biomedical Laboratories (BMBL). Current Edition. Washington, DC: U.S. Government Printing Office.

##### **Disclaimers:**

You are authorized to use this product for research use only. It is not intended for use in humans.

Use of this product is subject to the terms and conditions of the BEI Resources Material Transfer Agreement (MTA). The MTA is available on our Web site at [www.beiresources.org](http://www.beiresources.org).

While BEI Resources uses reasonable efforts to include accurate and up-to-date information on this product sheet, neither ATCC® nor the U.S. Government makes any warranties or representations as to its accuracy. Citations from scientific literature and patents are provided for informational purposes only. Neither ATCC® nor the U.S. Government warrants that such information has been confirmed to be accurate.

This product is sent with the condition that you are responsible for its safe storage, handling, use, and disposal. ATCC® and the U.S. Government are not liable for any damages or injuries arising from receipt and/or use of this product. While reasonable effort is made to ensure the authenticity and reliability of materials on deposit, the U.S. Government, ATCC®, their suppliers, and contributors to BEI Resources are not liable for damages arising from the misidentification or misrepresentation of products.

##### **Use Restrictions:**

**This material is distributed for internal research, non-commercial purposes only.** This material, its product or its derivatives may not be distributed to third parties. Except

as performed under a U.S. Government contract, individuals contemplating commercial use of the material, its products or its derivatives must contact the contributor to determine if a license is required. U.S. Government contractors may need a license before first commercial sale. This material may be subject to third party patent rights.

**References:**

1. Chancey, S. T., Personal Communication.
2. Mitchell, A. M. and T. J. Mitchell. "*Streptococcus pneumoniae*: Virulence Factors and Variation." Clin. Microbiol. Infect. 16 (2010): 411-418. PubMed: 20132250.
3. Jedrzejewski, M. J. "Pneumococcal Virulence Factors: Structure and Function." Microbiol. Mol. Biol. Rev. 65 (2001): 187-207. PubMed: 11381099.
4. Habib, M., B. D. Porter and C. Satzke. "Capsular Serotyping of *Streptococcus pneumoniae* Using the Quellung Reaction." J. Vis. Exp. 24 (2014): e51208. PubMed: 24637727.

ATCC® is a trademark of the American Type Culture Collection.

