

Certificate of Analysis for NR-56652

Pseudomonas aeruginosa, Strain 1080816

Catalog No. NR-56652

Product Description:

Pseudomonas aeruginosa (P. aeruginosa), strain 1080816 was isolated in 2014 from an endotracheal aspirate sample of an 84-year-old male in Portugal. It was deposited as resistant to amikacin, ceftazidime/ avibactam and imipenem. NR-56652 was produced by inoculation of the deposited material into Tryptic Soy broth and grown for 1 day at 37°C in an aerobic atmosphere. Broth inoculum was added to Tryptic Soy agar kolle, which was grown for 1 day at 37°C in an aerobic atmosphere to produce this lot. Quality control testing was completed under propagation conditions unless otherwise noted.

Lot: 70057571 Manufacturing Date: 17OCT2019

TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis		
Cellular morphology	Gram-negative rods	Gram-negative rods
Colony morphology	Report results	Circular, low convex, entire, translucent and green
Motility (wet mount)	Report results	Motile
Genotypic Analysis		
Sequencing of 16S ribosomal RNA gene	Consistent with P. aeruginosa	Consistent with P. aeruginosa
Purity (post-freeze) 7 days at 37°C in an aerobic atmosphere on Tryptic Soy agar with 5% defibrinated sheep blood	Growth consistent with expected colony morphology	Growth consistent with expected colony morphology
Viability (post-freeze)	Growth	Growth

/Sonia Bjorum Brower/ Sonia Bjorum Brower

27 NOV 2023

Technical Manager or designee, ATCC Federal Solutions

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

BEI Resources www.beiresources.org

E-mail: contact@beiresources.org Tel: 800-359-7370

Fax: 703-365-2898